

2020-2021 Standard RR 2-Stroke

	125	200-250-300
Front:		
.36 AB-12048-36	100-119 lbs	110-119 lbs
.38 AB-12048-38	120-139 lbs	120-139 lbs
.40 AB-12048-40	140-159 lbs	140-159 lbs
.42 AB-12048-42	160-179 lbs	160-179 lbs
.44 AB-12048-44	180-199 lbs	180-199 lbs
.46 AB-12048-46	200-219 lbs	200-219 lbs
.48 AB-12048-48	220-239 lbs	220-239 lbs
.50 AB-12048-50	240-259 lbs	240-259 lbs
.52 AB-12048-52	260-279 lbs	260-279 lbs
.54 AB-12048-54	280-299 lbs	280-299 lbs

Rear:

4.4 AB-10150-44	100-119 lbs	
4.6 AB-10150-46	120-139 lbs	100-119 lbs
4.8 AB-10150-48	140-159 lbs	120-139 lbs
5.0 AB-10150-50	160-179 lbs	140-159 lbs
5.2 AB-10150-52	180-199 lbs	160-179 lbs
5.4 AB-10150-54	200-219 lbs	180-199 lbs
5.6 AB-10150-56	220-239 lbs	200-219 lbs
5.8 AB-10150-58	240-259 lbs	220-239 lbs
6.0 AB-10150-60	260-279 lbs	240-259 lbs
6.2 AB-10150-62	280-299 lbs	260-279 lbs
6.4 AB-10150-64		280-299 lbs

denotes stock spring



2020-2021 RR Race Edition (All)

2 Stroke 125

21' 2 Stroke 200

2 Stroke 250-300

Front:

.36 AB-12053-36
 .38 AB-12053-38
 .40 AB-12053-40
 .42 AB-12053-42
 .44 AB-12053-44
 .46 AB-12053-46
 .48 AB-12053-48
 .50 AB-12053-50
 .52 AB-12053-52
 .54 AB-12053-54
 .56 AB-12053-56
 .58 AB-12053-58

100-119 lbs
 120-139 lbs
 140-159 lbs
160-179 lbs
 180-199 lbs
 200-219 lbs
 220-239 lbs
 240-259 lbs
 260-279 lbs
 280-299 lbs

110-119 lbs
 120-139 lbs
 140-159 lbs
160-179 lbs
 180-199 lbs
 200-219 lbs
 220-239 lbs
 240-259 lbs
 260-279 lbs
 280-299 lbs

Front:

.36 AB-12053-36
 .38 AB-12053-38
 .40 AB-12053-40
 .42 AB-12053-42
 .44 AB-12053-44
 .46 AB-12053-46
 .48 AB-12053-48
 .50 AB-12053-50
 .52 AB-12053-52
 .54 AB-12053-54
 .56 AB-12053-56
 .58 AB-12053-58

100-119 lbs
 120-139 lbs
 140-159 lbs
160-179 lbs
 180-199 lbs
 200-219 lbs
 220-239 lbs
 240-259 lbs
 260-279 lbs
 280-299 lbs

Rear:

4.4 AB-10150-44
 4.6 AB-10150-46
 4.8 AB-10150-48
 5.0 AB-10150-50
 5.2 AB-10150-52
 5.4 AB-10150-54
 5.6 AB-10150-56
 5.8 AB-10150-58
 6.0 AB-10150-60
 6.2 AB-10150-62
 6.4 AB-10150-64
 6.6 AB-10150-66

100-119 lbs
 120-139 lbs
140-159 lbs
 160-179 lbs
 180-199 lbs
 200-219 lbs
 220-239 lbs
 240-259 lbs
 260-279 lbs
 280-299 lbs

100-119 lbs
 120-139 lbs
 140-159 lbs
160-179 lbs
 180-199 lbs
 200-219 lbs
 220-239 lbs
 240-259 lbs
 260-279 lbs
 280-299 lbs

100-119 lbs
 120-139 lbs
 140-159 lbs
160-179 lbs
 180-199 lbs
 200-219 lbs
 220-239 lbs
 240-259 lbs
 260-279 lbs
 280-299 lbs

denotes stock spring



2020-2021 RR Race Edition (All)

4 Stroke 350-480

Front:

.36 AB-12053-36	
.38 AB-12053-38	
.40 AB-12053-40	
.42 AB-12053-42	100-119 lbs
.44 AB-12053-44	120-139 lbs
.46 AB-12053-46	140-159 lbs
.48 AB-12053-48	160-179 lbs
.50 AB-12053-50	180-199 lbs
.52 AB-12053-52	200-219 lbs
.54 AB-12053-54	220-239 lbs
.56 AB-12053-56	240-259 lbs
.58 AB-12053-58	260-279 lbs
	280-299 lbs

Rear:

4.4 AB-10150-44	
4.6 AB-10150-46	
4.8 AB-10150-48	100-119 lbs
5.0 AB-10150-50	120-139 lbs
5.2 AB-10150-52	140-159 lbs
5.4 AB-10150-54	160-179 lbs
5.6 AB-10150-56	180-199 lbs
5.8 AB-10150-58	200-219 lbs
6.0 AB-10150-60	220-239 lbs
6.2 AB-10150-62	240-259 lbs
6.4 AB-10150-64	260-279 lbs
6.6 AB-10150-66	280-299 lbs

denotes stock spring



2021 RX

300

Front:

.36 AB-12054-36	60-79 lbs
.38 AB-12054-38	80-99 lbs
.40 AB-12054-40	100-119 lbs
.42 AB-12054-42	120-139 lbs
.44 AB-12054-44	140-159 lbs
.46 AB-12054-46	160-179 lbs
.48 AB-12054-48	180-199 lbs
.50 AB-12054-50	200-219 lbs
.52 AB-12054-52	220-239 lbs
.54 AB-12054-54	240-259 lbs
.56 AB-12054-56	260-279 lbs
	280-299 lbs

4.6 AB-10150-46	100-119 lbs
4.8 AB-10150-48	120-139 lbs
5.0 AB-10150-50	140-159 lbs
5.2 AB-10150-52	160-179 lbs
5.4 AB-10150-54	180-199 lbs
5.6 AB-10150-56	200-219 lbs
5.8 AB-10150-58	220-239 lbs
6.0 AB-10150-60	240-259 lbs
6.2 AB-10150-62	260-279 lbs
6.4 AB-10150-64	280-299 lbs

denotes stock spring



2020-2021 Xtrainer

Front:

.74 kg AB-12043-74	100-119 lbs
.76 kg AB-12043-76	120-139 lbs
.78 kg AB-12043-78	140-159 lbs
.80 kg AB-12043-80	160-179 lbs
.82 kg AB-12043-82	180-199 lbs
.84 kg AB-12043-84	200-219 lbs
.86 kg AB-12043-86	220-239 lbs
.88 kg AB-12043-88	240-259 lbs
.90 kg AB-12043-90	260-279 lbs
.92 kg AB-12043-92	280-299 lbs

Rear:

4.6 kg AB-10148-46	100-119 lbs
4.8 kg AB-10148-48	120-139 lbs
5.0 kg AB-10148-50	140-159 lbs
5.2 kg AB-10148-52	160-179 lbs
5.4 kg AB-10148-54	180-199 lbs
5.6 kg AB-10148-56	200-219 lbs
5.8 kg AB-10148-58	220-239 lbs
6.0 kg AB-10148-60	240-259 lbs
6.2 kg AB-10148-62	260-279 lbs
6.4 kg AB-10148-64	280-299 lbs



2020-2021 RR-S (350 - 500)

Front:

.42 AB-12048-42	110-129 lbs
.44 AB-12048-44	130-149 lbs
.46 AB-12048-46	150-169 lbs
.48 AB-12048-48	170-189 lbs
.50 AB-12048-50	190-209 lbs
.52 AB-12048-52	210-229 lbs
.54 AB-12048-54	230-249 lbs
.56 AB-12048-56	250-269 lbs
.58 AB-12048-58	270-289 lbs

Rear:

4.8 AB-10150-48	110-129 lbs
5.0 AB-10150-50	120-139 lbs
5.2 AB-10150-52	140-159 lbs
5.4 AB-10150-54	160-179 lbs
5.6 AB-10150-56	180-199 lbs
5.8 AB-10150-58	200-219 lbs
6.0 AB-10150-60	220-239 lbs
6.2 AB-10150-62	240-259 lbs
6.4 AB-10150-64	260-279 lbs
6.6 AB-10150-66	280-299 lbs

denotes stock spring



2020-2021 Evo (125 - 300) 2 and 4 stroke

Standard

Front:

.77 kg (Stock)	155-174 lbs
.80 kg AB-80127-80	175-199 lbs
.84 kg AB-80127-84	200-229 lbs
.88 kg AB-80127-88	230-249 lbs
.92 kg AB-80127-92	250-269 lbs
.94 kg AB-80127-94	270-300 lbs

Rear:

7.4 kg AB-81027-74	170-189 lbs
7.6 kg AB-81027-76	190-209 lbs
7.8 kg AB-81027-78	210-229 lbs
8.0 kg AB-81027-80	230-249 lbs
8.2 kg AB-81027-82	250-269 lbs
8.4 kg AB-81027-84	270-289 lbs
8.6 kg AB-81027-86	266-290 lbs

Front:

.77 kg (Stock)
.80 kg AB-80127-80
.84 kg AB-80127-84
.88 kg AB-80127-88
.92 kg AB-80127-92
.94 kg AB-80127-94

Rear:

7.4 kg AB-81028-74
7.6 kg AB-81028-76
7.8 kg AB-81028-78
8.0 kg AB-81028-80
8.2 kg AB-81028-82
8.4 kg AB-81028-84
8.6 kg AB-81028-86

denotes stock spring



ALL Ohlins Suspension

RXF Fork	TTX 22 Fork Cartridge	4 stroke (all)	RR 2 stroke (all)
AB-42005-36	AB-42003-36		
AB-42005-38	AB-42003-38		100-119 lbs
AB-42005-40	AB-42003-40	100-119 lbs	120-139 lbs
AB-42005-42	AB-42003-42	120-139 lbs	140-159 lbs
AB-42005-44	AB-42003-44	140-159 lbs	160-179 lbs
AB-42005-46	AB-42003-46	160-179 lbs	180-199 lbs
AB-42005-48	AB-42003-48	180-199 lbs	200-219 lbs
AB-42005-52	AB-42003-52	220-239 lbs	220-239 lbs
AB-42005-54	AB-42003-54	240-259 lbs	260-279 lbs
AB-42005-56	AB-42003-56	260-279 lbs	280-299 lbs
AB-42005-58	AB-42003-58	280-299 lbs	

	TTX 46 Shock	4 stroke (all)	RR 2 stroke (all)
	AB-42004-46		100-119 lbs
	AB-42004-48	100-119 lbs	120-139 lbs
	AB-42004-50	120-139 lbs	140-159 lbs
	AB-42004-52	140-159 lbs	160-179 lbs
	AB-42004-54	160-179 lbs	180-199 lbs
	AB-42004-56	180-199 lbs	200-219 lbs
	AB-42004-58	200-219 lbs	220-239 lbs
	AB-42004-60	220-239 lbs	240-259 lbs
	AB-42004-62	240-259 lbs	260-279 lbs
	AB-42004-64	260-279 lbs	280-299 lbs
	AB-42004-66	280-299 lbs	

Xtrainer XTR Suspension (All Years)

Front:

.36 AB-12048-36	110-119 lbs
.38 AB-12048-38	120-139 lbs
.40 AB-12048-40	140-159 lbs
.42 AB-12048-42	160-179 lbs
.44 AB-12048-44	180-199 lbs
.46 AB-12048-46	200-219 lbs
.48 AB-12048-48	220-239 lbs
.50 AB-12048-50	240-259 lbs
.52 AB-12048-52	260-279 lbs
.54 AB-12048-54	280 +

4.6 AB-10149-46	110-129 lbs
4.8 AB-10149-48	120-139 lbs
5.0 AB-10149-50	140-159 lbs
5.2 AB-10149-52	160-179 lbs
5.4 AB-10149-54	180-199 lbs
5.6 AB-10149-56	200-219 lbs
5.8 AB-10149-58	220-239 lbs
6.0 AB-10149-60	240-259 lbs
6.2 AB-10149-62	260-279 lbs
6.4 AB-10149-64	280-299 lbs

