





Beta Turn Signal Kit

Part# AB-22005-2/4

Fits: All Beta RR, RS & RR-S, XT Models



1. Remove the rear fender from the subframe.

2. Begin installation of blinker lights on the provided rear fender extension. Install the blinkers as seen in image #2. Make sure to have the proper blinker in place. There should be a vent facing the ground to provide draining from water build up!

3. Install the rear brake light as seen in image number 3 & 4. Run the rear brake light wire along the red arrow show in image 4.

4. Install the 2 plastic screws with the wire holder to keep wires in place. See image 5.






Beta Turn Signal Kit

Part# AB-22005-2/4

Fits: All Beta RR, RS & RR-S, XT Models



5. See image 6. This is what your rear fender extension should look like when it is ready to install!



6. The wires should be oriented down the canal shown in image 7.



7. Connect rear taillight and blinkers to the rear harness as shown in image 8.

8. Once connected push down into the canal so you can install the rear fender extension. See image 9.



9. Install completed rear fender extension!





Beta Turn Signal Kit

Part# AB-22005-2/4


Fits: All Beta RR, RS & RR-S, XT Models

11.



10. Install front blinkers onto headlight mask!

12.



11. Make sure there is a vent facing the ground to provide draining when excess water enters blinker see image 12.

12. Locate the connections for blinker and relay in the wire cluster behind headlight. See image 13!

13.



13. Install your completed headlight mask.

14.



14. You are ready to ride!